


# Commercial Product Catalog and Price List

June 2011



Commercial Steambathing Systems

**STEAMIST®**  
RELAX. RESTORE. RENEW.

# HC Series Steam Generators



Models HC-9/12/15/18

Built to  
A.S.M.E. Code



Models HC-24/30/36/48/60/72

Built to  
A.S.M.E. Code



## IMPORTANT

Generator prices shown do not include temperature control and cannot be ordered without it. A DCCP or HC-CP-1 Control must be specified and purchased separately for installation with any HC Series Steam Generator.

Model No.	Product No.	KW Rating	Max. Cu. Ft.	Volts/Phase/Amps	Breaker Size*	Overall Dimensions L x W x H	Shipping Weight	Price Without Control
HC-9	60900	9	400	240/1/38	50	22-1/2" x 19" x 28"	140 lbs.	\$ 4650
	60901			208/1/43	60			\$ 4650
	60902			240/3/22	30			\$ 4650
	60903			208/3/25	35			\$ 4650
	60904			480/3/11	15			\$ 4900
HC-12	61200	12	500	240/1/50	70	22-1/2" x 19" x 28"	150 lbs.	\$ 4900
	61201			208/1/58	80			\$ 4900
	61202			240/3/29	40			\$ 4900
	61203			208/3/33	45			\$ 4900
HC-15	61500	15	620	240/1/63	80	22-1/2" x 19" x 28"	150 lbs.	\$ 5250
	61501			208/1/72	90			\$ 5250
	61502			240/3/36	45			\$ 4995
	61503			208/3/42	60			\$ 4995
HC-18	61800	18	740	240/1/75	100	22-1/2" x 19" x 28"	150 lbs.	\$ 5375
	61801			208/1/87	110			\$ 5375
	61802			240/3/43	60			\$ 5150
	61803			208/3/50	70			\$ 5150
HC-24	61804	24	1000	480/3/22	30	39" x 22" x 28"	200 lbs.	\$ 5375
	62400			240/1/100	125			\$ 7950
	62401			208/1/115	150			\$ 7950
	62402			240/3/58	80			\$ 7600
HC-30	62403	30	1250	208/3/67	90	39" x 22" x 28"	200 lbs.	\$ 7600
	62404			480/3/29	40			\$ 7925
	63000			240/1/125	175			\$ 8100
	63001			208/1/144	200			\$ 8100
HC-36	63002	36	1500	240/3/72	90	39" x 22" x 28"	200 lbs.	\$ 7800
	63003			208/3/84	110			\$ 7800
	63004			480/3/36	45			\$ 8075
	63600			240/1/150	200			\$ 8225
HC-48	63601	48	2000	208/1/173	225	39" x 22" x 28"	250 lbs.	\$ 8225
	63602			240/3/87	110			\$ 7925
	63603			208/3/100	125			\$ 7925
	63604			480/3/44	60			\$ 8200
HC-60	64802	60	2500	240/3/116	150	39" x 22" x 28"	250 lbs.	\$ 8225
	64803			208/3/133	175			\$ 8225
	64804			480/3/58	80			\$ 8475
HC-72	66002	72	3000	240/3/145	200	39" x 22" x 28"	250 lbs.	\$ 8650
	66003			208/3/167	225			\$ 8650
	66004			480/3/72	90			\$ 8900
HC-72	67202	72	3000	240/3/173	225	39" x 22" x 28"	250 lbs.	\$ 9625
	67203			208/3/200	250			\$ 9625
	67204			480/3/87	110			\$ 9875

\*Note: 90°C copper wire is required for connection to the steam generator.

Auxiliary Manual Reset Pressure Cutoff now standard on all Steamist Commercial Generators to meet UL 834 and ASME CSD-1 standards. Many state and local codes require an auxiliary pressure cutoff device with a manual reset.

## Programmable Digital Control

- Designed for use with Steamist HC Series Steam Generators
- Allows programming of steamroom settings from up to 100' distance from generator
- Idle setback feature of Digital Command Center allows efficient tailoring of operation for off-peak hours
- Each day of the week can be programmed individually
- Programs maximum temperatures and energy-saving "idle" temperature
- Digital Command Center can program two steamrooms with one generator (SRP required for second room)



The Steamist Digital Command Center can be installed in the facility manager's office or another remote location for convenient programming and adjustments.

## Digital Commercial Control Package

Includes: Digital Command Center with 50' cable • 1 User Bypass Control with 50' cable • 1 Room Sensor with 50' cable • 1 Control Module attached to generator with 12-volt power supply, two relays for aromatherapy pumps • 1 Steam Solenoid pre-assembled to the steam generator • 1 Steamhead

## Second Room Package

Includes: 2nd User Bypass Control with 50' cable • 2nd Room Sensor with 50' cable • 2nd Steam Solenoid pre-assembled to the steam generator • 1 Steamhead



User Bypass Control installed outside steamroom allows user to change settings within your programmed temperature range.

## Commercial Aroma Pump

For use with Steamist HC Series Generators and Programmable Digital Control. Adds aromatherapy oils directly to steam line.

Includes: Pump for addition of Aromatherapy Oils to steam line, 120 volt. Comes with 6-foot, 1/4" suction and discharge hoses, one injection valve, one filter.



Programmable Digital Control and Accessories

Model No.	Product No.	Description	Price
DCCP	68009	Digital Commercial Control Package	\$ 1280
SRP	68010	Second Room Package	\$ 550
DC-ABD	68014	Digital Automatic Blowdown Valve 208V	\$ 600
DC-ABD	68015	Digital Automatic Blowdown Valve 240/480V	\$ 600
HC-CAP	68011	Commercial Aroma Pump (only for use with DCCP Control)	\$ 1050
HC-EUV	68012	Eucalyptus Aromatherapy Oil, 2.5 gallon bottle	\$ 580
HC-LAV	68013	Lavender Aromatherapy Oil, 2.5 gallon bottle	\$ 450

## Mechanical Control and Accessories

Model No.	Product No.	Description	Price
HC-CP-1*	68001	Control Package	\$ 725
HC-ABD	68003	Automatic Blowdown Assembly - 208V	\$ 975
HC-ABD	68004	Automatic Blowdown Assembly - 240/480V	\$ 975

\* CP-1 Control Package with steam solenoid valve and thermostatic room temperature control and steamhead

# Accessories for HC Series Steam Generators

## 24" Stand

Allows easy access for maintenance and draining.

Product No.: 68005  
List Price: \$325  
For HC-9 to HC-18, 8-1/2"W x 18"L x 24"H



Product No.: 68006  
List Price: \$395  
For HC-24 to HC-72, 14"W x 25-1/2"L x 24"H

## ASME Code Blowdown Tank

Permits draining of hot boiler water into the tank for cooling before it is dumped into drainage system. Allows the HC blowdown system to comply with codes that prohibit the discharge of water exceeding 140 °F.

Product No.: 68007  
List Price: \$2350



## One-Year Limited Warranty for Commercial Steam Generators\*

Commercial Steamist generators are warranted against defects in materials and workmanship for a period of 1 year from the date of purchase and labor for a period of 90 days.

\*For further details, please ask for a copy of our Limited Warranty which accompanies the generator.

### Corporate Headquarters

25 E. Union Ave., East Rutherford, NJ 07073  
Tel: 800-577-6478 Fax: 201-933-0746  
e-mail: sales@steamist.com

### West Coast

Tel: 800-355-6478 Fax: 661-940-1617

### Steamist: #1 for Quality and Service Worldwide

For info on Commercial Steam Equipment  
or a complete product catalog, call 800-577-6478.  
[www.steamist.com](http://www.steamist.com)

**STEAMIST®**  
RELAX. RESTORE. RENEW.

Precautionary Warning Prior to Purchase: Before using a steambath, please consult with your physician. If you are an elderly person, or pregnant woman, or suffering from heart disease, high blood pressure, diabetes, or not in good health, you should not use this device unless otherwise directed by your physician. If you have any other condition that requires the use of medication or drugs, it is also necessary to check with your doctor before steambathing. Avoid direct contact with the steam coming out of the steamhead and with the steamhead itself, as this could cause serious burns or physical injury. For additional information about the steam product and important safety issues, please visit our website at [www.steamist.com](http://www.steamist.com) or call us at 800-577-6478.

# Day Spa Steam Generators



These compact units are designed to meet the special needs and limited space available for Day Spa operation. They are covered by a 1-year parts and 90-day labor warranty and come with a plaque with important information for the user which must be permanently attached to the steamroom. These units include factory-installed Auto Drain and are designed for daily use of up to 6 hours or less of operation.

Model No.	Maximum Cubic Foot Range	Product No.	List Price	Maximum Shipping Weight	Electrical			
					Volts	Phase	Max. Amps	Breaker Size*
DSM-5 (5 kw)	90	D5010	\$ 1995	33	240	1	21	30
		D5011			208	1	24	30
DSM-7 (7 kw)	210	D7010	\$ 2250	33	240	1	29	40
		D7011			208	1	34	40
DSM-9 (9 kw)	300	D9010	\$ 2350	33	240	1	38	50
		D9011			208	1	43	50
DSM-11 (11 kw)	400	D1100	\$ 2550	44	240	1	46	60
		D1101			208	1	53	70
		D1102			240	3	27	40
		D1103			208	3	31	40
DSM-12 (12 kw)	450	D1200	\$ 2800	44	240	1	50	60
		D1201			208	1	58	70
		D1202			240	3	29	40
		D1203			208	3	33	40
DSM-15 (15 kw)	550	D1500	\$ 3000	44	240	1	63	80
		D1501			208	1	72	90
		D1502			240	3	36	50
		D1503			208	3	42	50

5 kw, 7 kw, 9 kw units: 15"L x 6"W x 15.5"H  
 11 kw, 12 kw, 15 kw units:  
 17.75"L x 7.5"W x 15.5"H

Note: Steamist recommends that all generators have an SMC-150 Control, which must be ordered separately.  
 \*Note: 90°C copper wire is required for connection to the steam generator.

For Hotel Room Generators see Steamist Residential Product Catalog and Price List. Add an "H" before the model number to designate hotel application. These units carry a 1-year parts and 90-day labor warranty, and come with a plaque that must be permanently attached in the shower area. When sizing a Day Spa or Hotel Room Steam Generator, use the Sizing Guide found on page 8 of the Steamist Residential Catalog and Price List, or use the Sizing Guide on Steamist's website, [www.steamist.com](http://www.steamist.com).

# Controls for Day Spa Generators



**SMC-120 Timer Control**  
Contemporary-style control mounts outside steamroom, provides basic start/stop functions and is designed to work in conjunction with the SMC-150. 3.7" x 3.7"  
Does not include steamhead.



**SMC-150 Timer & Programmable Digital Temperature Control**  
New contemporary-style control mounts inside steamroom, and includes start/stop, timer and programmable digital temperature readout in an attractive blue color. 3.7" x 3.7"



**3199 Steamhead Included with SMC-150 Control**  
Provides even 360° steam dispersion, eliminating "hot spots." 3" x 3"

Series No.	Product No.	Finish	Control Only
SMC-120	120-PC	Polished Chrome	\$ 90
	120-BN	Brushed Nickel	\$ 110
	120-PN	Polished Nickel	\$ 110
	120-PB *	Polished Brass	\$ 110
	120-ORB	Oil-Rubbed Bronze	\$ 110
SMC-150	150-PC	Polished Chrome	\$ 545
	150-BN	Brushed Nickel	\$ 595
	150-PN	Polished Nickel	\$ 595
	150-PB *	Polished Brass	\$ 595
	150-ORB	Oil-Rubbed Bronze	\$ 595

Extension Kit for Control Cable Accessory		
Optional for all Controls when you require a 50' cable (maximum)		
Series No.	Description	Price
4025	25' Cable with 6-Pin Coupler	\$ 70
4050	50' Cable Only	\$ 80

\* While supplies last